



## INSTALLATION OF NEW GATE 31 AT NADI INTERNATIONAL AIRPORT


### GATE INFORMATION

<b>APRON SURFACE</b>	CONCRETE				
<b>APRON STRENGTH</b>	PCR 1530/R/W/D/T				
<b>GATE</b>	<b>LAT</b>	<b>LONG</b>	<b>ELEVATION</b>	<b>WINGSPAN RESTRICTIONS</b>	<b>NOTE</b>
31L-1	S17 45 01.08	E177 27 07.74	38FT	36m or less	When Gate 31L is occupied, Gate 31R is available. Gate 31 is <b>NOT</b> available
31L-2	S17 45 01.19	E177 27 07.70	38FT	36m or less	
31-1	S17 45 00.65	E177 27 08.60	39FT	64.8m or less	When Gate 31 is occupied, Gate 31L and Gate 31R <b>NOT</b> available
31-2	S17 45 00.68	E177 27 08.60	39FT	64.8m or less	
31-3	S17 45 00.72	E177 27 08.57	39FT	64.8m or less	
31-4	S17 45 00.86	E177 27 08.57	39FT	64.8m or less	
31-5	S17 45 00.90	E177 27 08.53	39FT	64.8m or less	
31R-1	S17 45 01.37	E177 27 09.07	39FT	36m or less	When Gate 31R is occupied, Gate 31L is available. Gate 31 is <b>NOT</b> available
31R-2	S17 45 01.51	E177 27 09.04	39FT	36m or less	

### CAUTIONARY NOTE:

- Aircraft parking at Gates 31 shall park tail to terminal building
- Gates 31 parking will be restricted tow in/push back for night operations with wing-walkers utilised by ground engineers to ensure the necessary clearance are met.
- Gates 31 not permitted for passenger facilitation
- Prior approval for all movements into/out of Gates 31 shall be obtained from the Tower.
- Parking at Gate 31R, aircraft shall use minimum power settings on the starboard engine.

# CLEARANCE AND MARKINGS



**AERIAL VIEW AND LOCATION OF NEW GATE 31**

